

geoDebugger command list (alphabetical)

a	Open memory as assembly language code.
b	Display breakpoints.
clrb	Clear a breakpoint.
clrmac	Clear user-defined macro.
clrsym	Clear a symbol.
copy	Copy a block of memory.
diff	Compare two blocks of memory.
dir	Display directory of disk in current drive.
dis	Disassemble a full screen of code.
disk	Display name of disk in current drive.
drivea	Make drive A the current drive.
driveb	Make drive B the current drive.
dumpd	Display disk buffer in hex and ASCII format.
dump	Display a block of memory in hex and ASCII format.
fill	Fill memory with a pattern.
find	Find a pattern in memory.
finish	Finish up most recent subroutine that was single-stepped into.
flag	Open processor status register as individual flags.
for	Loop.
getb	Get disk block from current drive.
getchain	Get logical chain of blocks from current drive.
getn	Get next logical block from current drive.
go	Start full speed execution of program.
history	Display current step-through-jsr history.
if	Conditional.
initb	Initialize breakpoint table, clearing all breakpoints.
inithist	Initialize current step-through-jsr history.
initmac	Initialize (clear) all user-defined macros.
initmod	Initialize overlay module priority tables.
initsym	Initialize (clear) symbols from currently active modules.
jsr	Execute subroutine at address.
loop	Proceed until a full loop is completed.
mac	Display user-defined macros.
mod	Display symbol priority of overlay modules.
m	Open memory as data.
n	Disassemble code nearby (above and below) the program counter.
next	Proceed until next instruction is reached (for exiting loops).
opt	Super-debugger configuration options.
pc	View and set program counter.
poff	Printing off.
pon	Printing on.
p	Proceed with execution at full-speed until breakpoint.
print	General value, symbol, and expression print.
putb	Put disk block to current drive.
quit	Exits geoDebugger and returns to the deskTop.
rboot	Reboot GEOS.
r	Display processor registers.
reg	Open processor registers.
return	Run until subroutine returns.
runto	Set breakpoint and go.
setb	Set a breakpoint.
setmac	Define user macro.
setmod	Set symbol priority of overlay modules.
setsym	Define a symbol.
setu	Set user variable.
skip	Skip over the current instruction without executing it.
s	Single-step through current level and subroutines.
stack	Display the top eight bytes on the stack.
stopmain	Stopmain; stop execution in GEOS MainLoop.
stop	Stop macro execution and return to command prompt.
sym	Display symbols.
sysmac	Display system macros.
t	Single-step through current level and top-step through subroutines.
w	Disassemble a window of code from program counter down.